VOL. 26 NO. 1+2

Contents of Volume 26 (1994)

| VOL. 26 NO. 1+2 | SEPTEMBER 1994 |
|--|--------------------------------------|
| Vinyl-film mulch: a practice for sweet potato (<i>Ipomoea Batatas</i> Lam reduce nitrate leaching | . var. Edulis Makino) cultivation to |
| T. Islam, I. Hasegawa, K. Ganno, N. Kihou and T. Momonoki (N. Cropping system influences on extractable water for mono- and doub | |
| G.A. Lehrsch (Kimberly, ID, USA), F.D. Whisler (Mississippi S | State, MS, USA) and |
| N.W. Buehring (Verona, MS, USA) | |
| Duckweed culture for wastewater renovation and biomass production | 1 |
| G. Oron (Kiryat Sde-Boker, Israel) | 27 |
| Inverse techniques for estimating transmissivity and drainable pore si drainage experiments | pace utilizing data from subsurface |
| S. Kumar (Pantnagar, India), S.K. Gupta (Karnal Haryana, India | a) and S. Ram (Pantnagar, India) 41 |
| Splash transport of soil on a slope under various crop covers | |
| B.M. Mati (Nairobi, Kenya) | 59 |
| Crop coefficients of major crops in South India | |
| S. Mohan and N. Arumugam (Madras, India) | 67 |
| Effect of salinity on emergence and on water stress and early seedling | g growth of sunflower and maize |
| N. Katerji (Thiverval-Grignon, France), J.W. Van Hoorn (Wage | |
| A. Hamdy, F. Karam (Valenzano, Bari, Italy) and M. Mastrorilli | |
| Optimising pumping rates to control piezometric levels: A case study | |
| J.F. Punthakey (Parramatta, NSW, Australia), S.A. Prathapar (G | |
| D. Hoey (Deniliquin, NSW, Australia) | |
| Microtopography and agriculture in semi-arid Botswana 1. Soil varia | |
| S.T. Miller (Gaborone, Botswana), P.J. Brinn (Kent, UK), G.J. | |
| (Gaborone, Botswana) | 107 |
| Microtopography and agriculture in semi-arid botswana 2. Moisture performance | |
| D. Harris, G.J. Fry and S.T. Miller (Gaborone, Botswana) | 133 |
| Book Reviews | 149 |
| VOL. 26 NO. 3 | NOVEMBER 1994 |
| Research Articles | |
| A soil water balance model for no-tillage and conventional till system | |
| V.O. Shanholtz and T.M. Younos (Blacksburg, VA, USA) | |
| 0378-4290/94/\$07.00 © 1994 Elsevier Science B.V. All rights rese | erved |

| Water balance and water use of pearl millet-cowpea intercrops in north east Nigeria A.K. Grema (Maiduguri, Nigeria) and T.M. Hess (Bedford, UK) |
|--|
| Evaluation of the possibility for rainfed agriculture using a soil moisture simulation model |
| N.D. Binh, V.V.N. Murty (Bangkok, Thailand) and D.X. Hoan (Hanoi, Vietnam) |
| Effect of mound height and cassava cultivar on cassava performance under a fluctuating water table |
| Y.M. Mohamoud (Toronto, Ontario, Canada) |
| Optimal operation scheduling model for a canal system |
| R. Shyam, H.S. Chauhan (Pantnagar, U.P., India) and J.S. Sharma (Pantnagar, U.P., India) |
| tt onyan, the community and th |
| VOL. 26 NO. 4 DECEMBER 1994 |
| Prefabricated drop spillways for outlets of reclaimed gullied lands |
| R.C. Yadav and L.S. Bhushan (Agra, India) |
| Computer model for managing saline water for irrigation and crop growth: preliminary testing with lysimeter data |
| A. Majeed (Islamabad, Pakistan), C.O. Stockle and L.G. King (Pullman, WA, USA) |
| Water use and yield response of sugarcane under different irrigation schedules and nitrogen levels in a subtropical region |
| P.N. Singh and S.C. Mohan (Dehradun, India) |
| Non water-stressed baselines for sunflowers |
| D.C. Nielsen (Akron, CO, USA) |
| Water use efficiency of flooded rice fields. I. Validation of the soil-water balance model SAWAH |
| M.C.S. Wopereis, B.A.M. Bouman (Wageningen, Netherlands), M.J. Kropff (Manila, Philippines), |
| H.F.M. Ten Berge (Wageningen, Netherlands) and A.R. Maligaya (Manila, Philippines) |
| Water use efficiency of flooded rice fields. II. Percolation and seepage losses |
| B.A.M. Bouman, M.C.S. Wopereis (Wageningen, Netherlands), M.J. Kropff (Manila, Philippines), |
| H.F.M. Ten Berge (Wageningen, Netherlands) and T.P. Tuong (Manila, Philippines) |
| Book Review |
| 300 |

